



**CRYOTECH CF7®**  
Liquid Commercial Deicer  
Safety Data Sheet

**Section 1: IDENTIFICATION**

**PRODUCT IDENTIFIER**

**CRYOTECH CF7®**

Liquid Commercial Deicer

**RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE**

Deicing/anti-icing highways, bridges, parking lots, and other pavements.

**DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET**

**Name/Address:** Cryotech Deicing Technology, 6103 Orthoway  
Fort Madison, IA 52627 United States  
**Contact Information:** Telephone: (800) 346-7237  
Fax: (319) 372-2662  
Email: [deicers@cryotech.com](mailto:deicers@cryotech.com)  
Website: [www.cryotech.com](http://www.cryotech.com)

**EMERGENCY TELEPHONE NUMBER**

CHEMTREC (800) 424-9300  
Outside USA and Canada (703) 741-5970

**Section 2: HAZARD(S) IDENTIFICATION**

**CLASSIFICATION ACCORDING TO OSHA HAZCOM 2012**

**Hazard Class** Not classified as hazardous

**LABEL ELEMENTS ACCORDING TO OSHA HAZCOM 2012**

There are no OSHA required label elements for this product.

**CLASSIFICATION ACCORDING TO WHMIS (Canada)**

**Hazard Class** Not controlled  
**WHMIS Hazard Symbols** Not applicable  
**WHMIS Signal Word** Not applicable

**HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)**

May be harmful if swallowed.

**Section 3: COMPOSITION/INFORMATION ON INGREDIENT**

**MIXTURES**

| Ingredient   | CAS No    | Wt. % |
|--|-----------|-------|
| Potassium Acetate                                    | 127-08-2  | 50    |
| Water  | 7732-18-5 | 50    |
| Trade Secret/Proprietary Corrosion Inhibitor Package |           | < 1   |



# CRYOTECH CF7®

## Liquid Commercial Deicer

### Safety Data Sheet

#### Section 4: FIRST- AID MEASURES

##### DESCRIPTION OF FIRST AID MEASURE

|                   |  |
|-------------------|--|
| <b>Eye</b>        | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. If irritation persists, seek medical attention.                  |
| <b>Skin</b>       | As a precaution, wash skin thoroughly with soap and water. Remove and wash contaminated clothing.  |
| <b>Inhalation</b> | If inhaled, remove to fresh air and get medical advice   |
| <b>Ingestion</b>  | If swallowed, give milk or water to drink and telephone for medical advice. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. |

##### MOST IMPORTANT SYMPTOMS / EFFECTS

|                   |   |
|-------------------|---|
| <b>Eye</b>        | May cause temporary eye irritation. Symptoms may include temporary discomfort, excessive blinking, tear production, redness, and/or swelling.                 |
| <b>Skin</b>       | May cause itching or irritation of any cut or abraded skin. Symptoms of prolonged contact may include dry skin.   |
| <b>Inhalation</b> | Inhalation of aerosol during spraying may cause respiratory tract irritation and coughing. This product is not otherwise expected to be an inhalation hazard. |
| <b>Ingestion</b>  | Ingestion of large quantities may cause nausea, vomiting, diarrhea and abdominal discomfort.  |

##### INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT

|                            |   |
|----------------------------|---|
| <b>Note to physicians</b>  | This product contains potassium acetate. Though ingestion of large amounts of potassium salts usually results in vomiting, excessive potassium absorption can cause hyperkalemia. |
| <b>Specific treatments</b> | If you feel unwell, seek medical advice immediately. Show the label or safety data sheet to medical personnel if possible.  |

#### Section 5: FIRE FIGHTING MEASURES

##### FLAMMABILITY

|                                |                                     |
|--------------------------------|-------------------------------------|
| <b>Flash Point (close cup)</b> | Nonflammable by OSHA/WHMIS criteria |
| <b>Auto Ignition</b>           | Not applicable                      |

##### EXTINGUISHING MEDIA

|                                       |  |
|---------------------------------------|--|
| <b>Suitable Extinguishing Media</b>   | Water, carbon dioxide, or dry chemical. Use extinguishing media appropriate for surrounding materials. |
| <b>Unsuitable Extinguishing Media</b> | Not applicable   |

##### SPECIAL HAZARDS

|                                      |   |
|--------------------------------------|---|
| <b>Hazardous Combustion Products</b> | Normal combustion forms carbon dioxide and water.             |
| <b>Explosion Limits</b>              | Data not available. Not considered to be an explosion hazard. |
| <b>Unusual Fire Hazards</b>          | None expected   |

##### SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Wear protective equipment suitable for surrounding environment.



**CRYOTECH CF7®**  
Liquid Commercial Deicer  
Safety Data Sheet

---

**Section 6: ACCIDENTAL RELEASE MEASURES**

---

**PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES**

Avoid eye/skin contact with spilled material. Refer to Section 7 for additional handling precautions

**Methods for Containment** Contain and/or absorb spill with inert material (e.g. sawdust, sand, vermiculite).  
**Methods for Cleaning-Up** Scoop up material and transfer to disposal container. If needed, wash spillage area with plenty of water.

---

**Section 7: HANDLING AND STORAGE**

---

**PRECAUTIONS FOR SAFE HANDLING**

**Handling** Avoid eye contact. Avoid breathing mist when spraying.

**PRECAUTIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES**

**Storage** Store in tightly sealed original containers, away from direct heat and strong oxidizing agents. Do not store or handle product in systems constructed of wetted parts consisting of galvanized steel, zinc, or brass components.

---

**Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

**EXPOSURE LIMITS**

**Exposure Limits** No specific limits have been established for this product.

**EXPOSURE CONTROLS**

**Engineering Controls** No special ventilation is usually necessary; however if operating conditions create high airborne concentrations of this material, special ventilation may be needed to keep exposure to airborne contaminants below the exposure limit.

**INDIVIDUAL PROTECTIVE MEASURES/PERSONAL PROTECTIVE EQUIPMENT**

**Eye Protection** Safety glasses or goggles are recommended if splashing/spraying is possible.

**Skin Protection** No special skin protection is usually necessary. Chemical-resistant gloves and clothing should be used if prolonged exposure is possible to prevent drying of skin.

**Respiratory Protection** No special respiratory protection is usually necessary. Breathing of mist/aerosol should be avoided. If operating conditions create high airborne concentrations of this material, the use of an approved respirator is recommended.



# CRYOTECH CF7®

## Liquid Commercial Deicer

### Safety Data Sheet

#### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

|  |   |
|--|---|
| APPEARANCE                             | Clear, colorless to light straw colored liquid. (May be dyed blue at customer request.) |
| ODOR                                   | Odorless to slight vinegar odor   |
| ODOR THRESHOLD                         | No data available   |
| pH (20°C, 68°F)                        | 10.5 – 11.5   |
| FREEZING POINT                         | -60°C (-76°F)   |
| BOILING POINT                          | ~ 110°C (230°F)   |
| FLASH POINT                            | Not applicable  |
| EVAPORATION RATE                       | No data available   |
| FLAMMABILITY/EXPLOSION LIMITS          | Not applicable  |
| VAPOR PRESSURE (20°C)                  | 15 mm Hg  |
| VAPOR DENSITY (AIR = 1)                | No data available   |
| RELATIVE DENSITY                       | 1.28  |
| SOLUBILITY IN WATER                    | Completely miscible   |
| PARTITION COEFFICIENT; n-OCTANOL/WATER | No data available   |
| AUTO-IGNITION TEMPERATURE              | No data available   |
| DECOMPOSITION TEMPERATURE              | No data available   |
| VISCOSITY (20°C)                       | 6.5 cP  |
| OXIDIZING PROPERTIES                   | Not oxidizing   |
| EXPLOSIVE PROPERTIES                   | Not explosive   |

#### Section 10: STABILITY AND REACTIVITY

##### REACTIVITY

No dangerous reactions known under conditions of normal use.

##### CHEMICAL STABILITY

Stable. Polymerization will not occur.

##### POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reactions known under conditions of normal use.

##### CONDITIONS TO AVOID

Avoid prolonged contact with reactive metals such as magnesium and zinc, especially in closed systems where hydrogen gas from the oxidation of these materials may accumulate over time.

##### INCOMPATIBLE MATERIALS

Strong oxidizing agents; strong acids.

##### HAZARDOUS DECOMPOSITION PRODUCTS

May decompose into oxides of carbon.



**CRYOTECH CF7®**  
Liquid Commercial Deicer  
Safety Data Sheet

**Section 11: TOXICOLOGICAL INFORMATION**

**ACUTE TOXICITY**

LD50 rat-oral: > 5 g/kg.

**LIKELY ROUTES OF EXPOSURE**

Skin contact, eye contact, ingestion.

**SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL, AND TOXICOLOGICAL CHARACTERISTICS**

|                   |   |
|-------------------|---|
| <b>Eye</b>        | May cause temporary eye irritation. Corneal injury is unlikely.   |
| <b>Skin</b>       | Repeated contact may cause minor skin irritation or dry skin.   |
| <b>Inhalation</b> | Inhalation of aerosol during spraying may cause respiratory tract irritation and coughing. This product is not otherwise expected to be an inhalation hazard. |
| <b>Ingestion</b>  | Ingestion of large quantities may cause nausea, vomiting, diarrhea and abdominal discomfort.  |

**DELAYED, IMMEDIATE EFFECTS AND CHRONIC EFFECTS FROM SHORT- AND LONG-TERM EXPOSURE**

|  |  |
|--|--|
| <b>Skin Corrosion/Irritation</b>         | Based on available data, the classification criteria are not met.  |
| <b>Serious Eye Damage/Irritation</b>     | Based on available data, the classification criteria are not met.  |
| <b>Respiratory or Skin Sensitization</b> | Based on available data, the classification criteria are not met.  |
| <b>Germ Cell Mutagenicity</b>            | Based on available data, the classification criteria are not met.  |
| <b>Carcinogenicity</b>                   | This product does not contain any ingredients that are considered to be carcinogens by IARC, NTP, or OSHA. |
| <b>Reproductive Toxicity</b>             | Based on available data, the classification criteria are not met.  |
| <b>STOT-Single Exposure</b>              | Based on available data, the classification criteria are not met.  |
| <b>STOT-Repeated Exposure</b>            | Based on available data, the classification criteria are not met.  |
| <b>Aspiration Hazard</b>                 | Based on available data, the classification criteria are not met.  |

**Section 12: ECOLOGICAL INFORMATION**

**ECOTOXICITY (AQUATIC AND TERRESTRIAL)**

Not expected to cause long-term adverse effects in the aquatic or terrestrial environments.

**PERSISTENCE AND DEGRADABILITY**

Readily biodegradable. COD (TOD): 0.34 g O<sub>2</sub>/g deicer; BOD<sub>5</sub> (20°C): 0.25 g O<sub>2</sub>/g deicer

**BIOACCUMULATIVE POTENTIAL**

Bioaccumulation is not expected.

**MOBILITY IN SOIL**

Adverse effects not expected.

**OTHER ADVERSE EFFECTS**

None expected.



# CRYOTECH CF7®

## Liquid Commercial Deicer Safety Data Sheet

### Section 13: DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT AND METHODS OF DISPOSAL

Based on available information, this product is neither listed as a hazardous waste nor does it exhibit any of the characteristics that would cause it to be classified as a characterized hazardous waste under RCRA. This product may be absorbed onto suitable materials and disposed of in a sanitary landfill unless local, state, or provincial regulations prohibit such disposal.

### Section 14: TRANSPORT INFORMATION

#### TRANSPORT INFORMATION

Not regulated as dangerous goods per US DOT or IATA

### Section 15: REGULATORY INFORMATION

#### INVENTORY LISTS

All of the components in this product are on the following inventory lists: USA (TSCA), Canada (DSL/NDSL); Europe (EINECS)

#### TSCA SECTION 12(b)

None of the chemicals in this product are listed under TSCA Section 12(b).

#### CERCLA HAZARDOUS SUBSTANCES

There is no CERCLA Reportable Quantity for this material.

#### SARA 311/312 CATEGORIES

| Physical hazards                               |    |
|--|----|
| Explosive                                      | No |
| Flammable (gases, aerosols, liquids or solids) | No |
| Oxidizer (liquid, solid or gas)                | No |
| Self- reactive                                 | No |
| Pyrophoric (liquid or solid)                   | No |
| Pyrophoric Gas                                 | No |
| Self-heating                                   | No |
| Corrosive to metal                             | No |
| Gas under pressure (compressed gas)            | No |
| In contact with water emits flammable gas      | No |
| Combustible Dust                               | No |
| Hazard Not Otherwise Classified (HNOC)         | No |

| Health hazards   |    |
|--|----|
| Acute toxicity (any route of exposure)                       | No |
| Skin corrosion or irritation                                 | No |
| Serious eye damage or eye irritation                         | No |
| Respiratory or skin sensitization                            | No |
| Germ cell mutagenicity                                       | No |
| Carcinogenicity  | No |
| Reproductive toxicity  | No |
| Specific target organ toxicity (single or repeated exposure) | No |
| Aspiration hazard  | No |
| Simple Asphyxiant  | No |
| Hazard Not Otherwise Classified (HNOC)                       | No |

#### SARA 313

None of the components in this product are subject to reporting under SARA Section 313.

#### CLEAN WATER ACT

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

Prepared According to the OSHA Hazard Communication Standard (29 CFR 1910.1200)  
by Cryotech Deicing Technology, 6103 Orthoway, Fort Madison, IA 52627

Form #MKT1310 Rev. February 6, 2023



# CRYOTECH CF7®

## Liquid Commercial Deicer

### Safety Data Sheet

#### STATE RIGHT-TO-KNOW:

This product does not contain components at levels which are required to be reported under the statutes of the following states: PA, MA, MN, and NJ.

This product does not contain materials known to the State of California (Proposition 65) to cause cancer and/or reproductive harm at levels which would require a warning under the statute.

| NFPA 704  |   |
|---|---|
| Health  | 1 |
| Fire  | 0 |
| Physical Hazard                                       | 0 |
| Hazard Rating 0-4 0-least hazardous; 4-most hazardous |   |

| HMIS – Hazardous Materials Identification System                              |   |
|---|---|
| Health  | 1 |
| Fire  | 0 |
| Physical Hazard   | 0 |
| Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = serious, 4 = severe |   |

#### Section 16: OTHER INFORMATION

#### SDS REVISION DATE

**Revision date: February 6, 2023**

**Expiration date:** February 6, 2026

Latest version of this SDS can be obtained from Cryotech.

#### NOTE TO EMPLOYER

This Safety Data Sheet contains environmental, health and toxicology information for your employees. Please ensure this information is provided to them. It also contains information to help you meet community right-to-know/emergency response reporting requirements under SARA Title III and many other laws. If you resell this product, this SDS must be given to the buyer or the information incorporated in your SDS. Discard any previous edition of this SDS.

#### DISCLAIMER

The above information is accurate to the best of our knowledge. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use or misuse are beyond our control, GENERAL ATOMICS INTERNATIONAL SERVICES CORPORATION dba Cryotech Deicing Technology makes no warranty, either express or implied, with respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon. GENERAL ATOMICS INTERNATIONAL SERVICES CORPORATION dba Cryotech Deicing Technology assumes no responsibility for any injury or loss resulting from the use of the product described herein. User should satisfy himself that he has all current data relevant to his particular use.

**End of Safety Data Sheet**