## **Section 1: IDENTIFICATION**

#### **PRODUCT IDENTIFIER**

**CRYOTECH E36® LAVATORY ANTIFREEZE** 

## RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Freeze point depressant in aircraft and transit lavatory systems

## **DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET**

Name/Address: Cryotech Deicing Technology

6103 Orthoway

Fort Madison, IA 52627

**United States** 

**Contact Information:** Telephone: (800) 346-7237

Fax: (319) 372-2662

Email: <u>deicers@cryotech.com</u>
Website: <u>www.cryotech.com</u>

#### **EMERGENCY TELEPHONE NUMBER**

CHEMTREC (800) 424-9300

Outside USA and Canada (703) 741-5970

## Section 2: HAZARD(S) IDENTIFICATION

## **CLASSIFICATION ACCORDING TO OSHA HAZCOM 2012**

Hazard Class Not classified as hazardous

## LABEL ELEMENTS ACCORDING TO OSHA HAZCOM 2012

There are no OSHA required label elements for this product.

#### **CLASSIFICATION ACCORDING TO WHMIS (Canada)**

Hazard ClassNot controlledWHMIS Hazard SymbolsNot applicableWHMIS Signal WordNot applicable

## **HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)**

May be harmful if swallowed.



## CRYOTECH E36® LAVATORY ANTIFREEZE

## Safety Data Sheet

## Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

#### **MIXTURES**

Ingredient	CAS No	Wt. %
Potassium Acetate	127-08-2	50
Water	7732-18-5	50
Corrosion Inhibitors		< 1

## **Section 4: FIRST- AID MEASURES**

## **DESCRIPTION OF FIRST AID MEASURE**

Eye In case of contact, immediately flush eyes with plenty of water for at least 15

minutes. If easy to do, remove contact lenses, if worn. If irritation persists, seek

medical attention.

**Skin** As a precaution, wash skin thoroughly with soap and water. Remove and wash

contaminated clothing.

**Inhalation** If inhaled, remove to fresh air and get medical advice

**Ingestion** If swallowed, give milk or water to drink and telephone for medical advice. Do

NOT induce vomiting unless directed to do so by medical personnel. Never give

anything by mouth to an unconscious person.

#### **MOST IMPORTANT SYMPTOMS / EFFECTS**

Eye May cause temporary eye irritation. Symptoms may include temporary discomfort

excessive blinking, tear production, redness, and/or swelling.

**Skin** May cause itching or irritation of any cut or abraded skin. Symptoms of

prolonged contact may include dry skin.

**Inhalation** Inhalation of aerosol may cause respiratory tract irritation and coughing. This

product is not otherwise expected to be an inhalation hazard.

**Ingestion** Ingestion of large quantities may cause nausea, vomiting, diarrhea and

abdominal discomfort.

## INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT

Note to physicians This product contains potassium acetate. Though ingestion of large amounts of

potassium salts usually results in vomiting, excessive potassium absorption can

cause hyperkalemia.

Specific treatments If you feel unwell, seek medical advice immediately. Show the label or safety

data sheet to medical personnel if possible.

## **Section 5: FIRE FIGHTING MEASURES**

**FLAMMABILITY** 

Flash Point (close cup) Nonflammable by OSHA/WHMIS criteria

Auto Ignition Not applicable

**EXTINGUISHING MEDIA** 

Suitable Extinguishing Media Water, carbon dioxide, or dry chemical. Use extinguishing media appropriate

for surrounding materials.

Unsuitable Extinguishing Media Not applicable

**SPECIAL HAZARDS** 

Hazardous Combustion Products Normal combustion forms carbon dioxide and water.

**Explosion Limits** Data not available. Not considered to be an explosion hazard.

Unusual Fire Hazards None expected

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

**Special Protective Equipment for** Wear protective equipment suitable for surrounding environment.

**Firefighters** 

**Section 6: ACCIDENTAL RELEASE MEASURES** 

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES

Avoid eye/skin contact with spilled material. Refer to Section 7 for additional handling precautions

Methods for Containment Contain and/or absorb spill with inert material (e.g. sawdust, sand,

vermiculite).

Methods for Cleaning-Up Scoop up material and transfer to disposal container. If needed, wash

spillage area with plenty of water.

## **Section 7: HANDLING AND STORAGE**

PRECAUTIONS FOR SAFE HANDLING

**Handling** Avoid eye contact. Avoid breathing mist when spraying.

PRECAUTIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

**Storage** Store in tightly sealed original containers, away from direct heat and strong

oxidizing agents. Do not store or handle product in systems constructed of wetted parts consisting of galvanized steel, zinc, or brass components.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**EXPOSURE LIMITS** 

**Exposure Limits** No specific limits have been established for this product.

**EXPOSURE CONTROLS** 

**Engineering Controls**No special ventilation is usually necessary; however if operating conditions

create high airborne concentrations of this material, special ventilation may be needed to keep exposure to airborne contaminants below the exposure limit.

INDIVIDUAL PROTECTIVE MEASURES/PERSONAL PROTECTIVE EQUIPMENT

**Eye Protection** Safety glasses or goggles are recommended if splashing/spraying is possible.

**Skin Protection** No special skin protection is usually necessary. Chemical-resistant gloves and

clothing should be used if prolonged exposure is possible to prevent drying of

skin.

**Respiratory Protection** No special respiratory protection is usually necessary. Breathing of mist/aerosol

should be avoided. If operating conditions create high airborne concentrations

of this material, the use of an approved respirator is recommended.

## **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Clear, colorless to light straw colored liquid. (May be
	dyed blue at customer request.)
ODOR	Odorless to slight vinegar odor
ODOR THRESHOLD	No data available
pH (20°C, 68°F)	10.5 – 11.5
FREEZING POINT	-60°C (-76°F)
BOILING POINT	~ 110°C (230°F)
FLASH POINT	Not applicable
EVAPORATION RATE	No data available
FLAMMABILITY/EXPLOSION LIMITS	Not applicable
VAPOR PRESSURE (20°C)	15 mm Hg
VAPOR DENSITY (AIR = 1)	No data available
RELATIVE DENSITY	1.28
SOLUBILITY IN WATER	Completely miscible
PARTITION COEFFICIENT; n-OCTANOL/WATER	No data available
AUTO-IGNITION TEMPERATURE	No data available
DECOMPOSITION TEMPERATURE	No data available
VISCOSITY (20°C)	6.5 cP
OXIDIZING PROPERTIES	Not oxidizing
EXPLOSIVE PROPERTIES	Not explosive

## **Section 10: STABILITY AND REACTIVITY**

#### **REACTIVITY**

No dangerous reactions known under conditions of normal use.

#### **CHEMICAL STABILITY**

Stable. Polymerization will not occur.

## **POSSIBILITY OF HAZARDOUS REACTIONS**

No dangerous reactions known under conditions of normal use.

#### **CONDITIONS TO AVOID**

Avoid prolonged contact with reactive metals such as magnesium and zinc, especially in closed systems where hydrogen gas from the oxidation of these materials may accumulate over time.

## **INCOMPATIBLE MATERIALS**

Strong oxidizing agents; strong acids.

## **HAZARDOUS DECOMPOSITION PRODUCTS**

May decompose into oxides of carbon.

## **Section 11: TOXICOLOGICAL INFORMATION**

## **ACUTE TOXICITY**

LD50 rat-oral: > 5 g/kg.

## LIKELY ROUTES OF EXPOSURE

Skin contact, eye contact, ingestion.

## SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL, AND TOXICOLOGICAL CHARACTERISTICS

Eye May cause temporary eye irritation. Corneal injury is unlikely.

**Skin** Repeated contact may cause minor skin irritation or dry skin.

**Inhalation** Inhalation of aerosol during spraying may cause respiratory tract irritation and

coughing. This product is not otherwise expected to be an inhalation hazard.

**Ingestion** Ingestion of large quantities may cause nausea, vomiting, diarrhea and

abdominal discomfort.

# DELAYED AND IMMEDIATE EFFECTS AND CHRONIC EFFECTS FROM SHORT- AND LONG-TERM EXPOSURE/NUMERICAL MEASURES OF TOXICITY

Skin Corrosion/Irritation
Serious Eye Damage/Irritation
Respiratory or Skin Sensitization
Germ Cell Mutagenicity

Germ Cell Mutagenic Carcinogenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

This product does not contain any ingredients that are considered to be

carcinogens by IARC, NTP, or OSHA.

Reproductive Toxicity STOT-Single Exposure STOT-Repeated Exposure Aspiration Hazard Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

## **Section 12: ECOLOGICAL INFORMATION**

## **ECOTOXICITY (AQUATIC AND TERRESTRIAL)**

Not expected to cause long-term adverse effects in the aquatic or terrestrial environments.

#### PERSISTENCE AND DEGRADABILITY

Readily biodegradable. COD (TOD): 0.34 g O<sub>2</sub>/g deicer; BOD<sub>5</sub> (20°C): 0.25 g O<sub>2</sub>/g deicer

#### **BIOACCUMULATIVE POTENTIAL**

Bioaccumulation is not expected.

#### **MOBILITY IN SOIL**

Adverse effects not expected.

#### **OTHER ADVERSE EFFECTS**

None expected.

## **Section 13: DISPOSAL CONSIDERATIONS**

## WASTE TREATMENT AND METHODS OF DISPOSAL

Based on available information, this product is neither listed as a hazardous waste nor does it exhibit any of the characteristics that would cause it to be classified as a characterized hazardous waste under RCRA. This product may be absorbed onto suitable materials and disposed of in a sanitary landfill unless local, state, or provincial regulations prohibit such disposal.

## Section 14: TRANSPORT INFORMATION

## TRANSPORT INFORMATION

Not regulated as dangerous goods per US DOT or IATA.

## Section 15: REGULATORY INFORMATION

#### **INVENTORY LISTS**

All of the components in this product are on the following inventory lists: USA (TSCA), Canada (DSL/NDSL); Europe (EINECS)

#### **TSCA SECTION 12(b)**

None of the chemicals in this product are listed under TSCA Section 12(b).

#### **CERCLA HAZARDOUS SUBSTANCES**

There is no CERCLA Reportable Quantity for this material.

## **SARA 311/312 CATEGORIES**

Physical hazards	
Explosive	No
Flammable (gases, aerosols, liquids or solids	No
Oxidizer (liquid, solid or gas)	No
Self- reactive	No
Pyrophoric (liquid or solid)	No
Pyrophoric Gas	No
Self-heating	No
Corrosive to metal	No
Gas under pressure (compressed gas)	No
In contact with water emits flammable gas	No
Combustible Dust	No
Hazard Not Otherwise Classified (HNOC)	No

Health hazards	
Acute toxicity (any route of exposure)	
Skin corrosion or irritation	
Serious eye damage or eye irritation	
Respiratory or skin sensitization	
Germ cell mutagenicity	No
Carcinogenicity	
Reproductive toxicity	
Specific target organ toxicity (single or repeated exposure)	
Aspiration hazard	
Simple Asphyxiant	
Hazard Not Otherwise Classified (HNOC)	

#### **SARA 313**

None of the components in this product are subject to reporting under SARA Section 313.

## **CLEAN WATER ACT**

None of the chemicals in this product are listed as Priority Pollutants under the CWA. None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

### **STATE RIGHT-TO-KNOW:**

This product does not contain components at levels which are required to be reported under the statutes of the following states: PA, MA, MN, and NJ.

This product does not contain materials known to the State of California (Proposition 65) to cause cancer and/or reproductive harm at levels which would require a warning under the statute.

NFPA 704		
Health	1	
Fire	0	
Physical Hazard	0	
Hazard Rating 0-4 0-least hazardous; 4-most hazardous		s

HMIS – Hazardous Materials Identification System		
Health	1	
Fire	0	
Physical Hazard	0	
Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = serious, 4 = severe		

## **Section 16: OTHER INFORMATION**

#### **SDS REVISION DATE**

Revision date: August 1, 2019 Expiration date: August 1, 2022

Latest version of this SDS can be obtained from Cryotech.

#### **NOTE TO EMPLOYER**

This Safety Data Sheet contains environmental, health and toxicology information for your employees. Please ensure this information is provided to them. It also contains information to help you meet community right-to-know/emergency response reporting requirements under SARA Title III and many other laws. If you resell this product, this SDS must be given to the buyer or the information incorporated in your SDS. Discard any previous edition of this SDS.

## **DISCLAIMER**

The above information is accurate to the best of our knowledge. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use or misuse are beyond our control, GENERAL ATOMICS INTERNATIONAL SERVICES CORPORATION dba Cryotech Deicing Technology makes no warranty, either express or implied, with respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon. GENERAL ATOMICS INTERNATIONAL SERVICES CORPORATION dba Cryotech Deicing Technology assumes no responsibility for any injury or loss resulting from the use of the product described herein. User should satisfy himself that he has all current data relevant to his particular use.

## **End of Safety Data Sheet**